



# \_Who are we?

Our company was established in 2006 and performed contract molding and printing operations in the first three years. In 2009, the company registered HSC brand and started to manufacture.

The company manufactures products belonging to various sectors such as furniture, aluminum, PVC, hardware and industrial kitchen industrywith the HSC brand.

It performs in a 2500 m2 closed and 1000 m2 open-area facility and it has managed to become one of the leading companies in the sectorwith its products.

In 2019, CAN Kalip changed its name to HSC AKSESUAR, and it will continue to work for offering quality products to our valued customers by expanding the product range of these sectors.





		<b>^</b>	,
Z	U	Z	
•	┝	J	
	~		
		1	
	D		
	L		
	_		
1			
			A

02-03	Automatic Table Slide
04-07	Rope Table Slide
08	Head Opening Table Slide
09	Automatic Head Opening Table Slide
10-12	Leg Opening Table Slide
13-14	Leg Double Opening Table Slide
15-17	Table Top Moving Table Rail
18-19	Butterfly Table Slide
20-23	Accessory Table Connection Apparatus
24-25	Stepped Shears
26	Bar clamp
26-27	Accessory Aluminum Connection Apparatus







openings.

When it comes to accessories

Body Length:72 cm

Movement Distance:30 cm

Full Length:95 cm

Box:4 pcs.



Body Length:92 cm

Movement Distance:40 cm

Full Length:115 cm

Box:4 pcs.











Rope Table Slide (Eared)

**HSC-165** 

Rope Table Slide (Non-eared)

Body Length:72 cm

Movement Distance:48 cm

Full Length:92 cm

Box:10 pcs.









Rope Table Slide (Eared)

HSC-175

Rope Table Slide (Non-eared)



Body Length:92 cm

Movement Distance:51 cm

Full Length:120 cm

Box:8 pcs.



Rope Table Slide (Non-eared)

Body Length:145 cm

Movement Distance:80 cm

Full Length:145 cm

Box:10 pcs.









Box:4 pcs.



Body Length:110 cm

Movement Distance:30 cm (one side)

Full Length:170 cm








When it comes to accessories

Body Length:72 cm

Movement Distance:52 cm

Full Length:124 cm

Box:6 pcs.







When it comes to accessories Body Length:120 cm

Movement Distance:90 cm

Full Length:210 cm

Box:6 pcs.





Body Length:70 cm

Movement Distance:80 cm

Full Length:150 cm









When it comes to accessories

Body Length:80 cm

Movement Distance:90 cm

Full Length:170 cm



Body Length:72 cm

Movement Distance:49 cm

Full Length:72 cm

Box:12 pcs.

**HSC-360 Table Top Moving Table Rail** 





When it comes to accessories

Movement Distance:69 cm

Full Length:92 cm

Box:12 pcs.



Body Length:120 cm

Movement Distance:95 cm

Full Length:120 cm

Box:12 pcs.







Butterfly Table Slide

26 -32 cm openings.

Case Inner Dimension: 55 cm

Box:6 pcs.





Butterfly Table Slide 33 -42 cm openings.

Case Inner Dimension: 66 cm

Box:6 pcs.







HSC-505

Table connection apparatus 6 pcs.



HSC-510

Middle cover support element Box:250 pcs.



HSC-515

Middle cover support element (square) Box:200 pcs.



HSC-520

Middle cover drive shaft Box:500 pcs.



HSC-525

Middle cover drive shaft bearing Box:500 pcs.













HSC-530

Hinge Box:250 pcs.

HSC-535

Oval hinge Box:250 pcs.





Table Support Roller Box:500 pcs.



HSC-545



Metal Dowel Pin Box:3000 pcs.



HSC-550

Table Corner Sheet (2 mm) Box:150 pcs.

HSC-555

Table Corner Sheet (1.5mm)
Box:200 pcs.



HSC-560

Table Corner Sheet (2 mm) (With Spinning Pin) Box:150 pcs.






HSC-565 Opening alignment element Box:2500 pcs.



HSC-570 23 x 32 x 32 L-square Box:1000 pcs.



1100 505	4- 4-1
HSC-580	35x35 L-square – Box:1000 pcs.
HSC-575	28x28 L-square – Box:1500 pcs.

**HSC-585** 45x45 L-square – Box:1000 pcs.

 HSC-590
 15x54 Miter – Box:1000 pcs.

 HSC-595
 15x70 Miter – Box:1000 pcs.


 HSC-600
 15x90 Miter – Box:1000 pcs.





HSC-605 HSC 610 Foot connection plate M 8 Foot connection plate M 10








to accessories





#### **PACKAGING**

10 pairs in 1 box.





KM5-U Stepped Shears (5 Opening)

KM3-U Stepped Shears (3 Opening)

### **OPERATION METHOD:**

These KM3-U and KM 5-U-series shears ensure that the window can be safely opened and fixed in various positions in 3 and 5 stages in flat transom and hidden-sashed windows.

### TECHNICAL SPECIFICATIONS:

Made of durable, high quality galvanized steel. Functional, comfortable and robust. Thanks to safe shears system, the window can be opened and fixed in various positions in 3 and 5 stages. For the window to be closed, they must be opened up to the end. For the shears to work correctly (see Figure, distance "A"), it should not be longer than half the window length. The shears should be installed near the top corner of the case.

#### CONTENT:

Mechanized body made of galvanized steel 2 galvanized steel fasteners 2 plastic connection elements

### **PACKAGING**

10 pairs in 1 box.









Middle connection Box:1000 pcs.



Slim L-Corner Connection Box:10000 pcs.

HSC-710



HSC-715



HSC-720

Composite Mounting Apparatus (12mm) Box:2500 pcs.



HSC-725



Composite Mounting Apparatus (15mm) Box:2500 pcs.










HSC-730 Lock latch (tongue)
Box:250 pcs.

HSC-735

Lock latch (roller) Box:250 pcs.



HSC-740

Middle U connection (wide) Box:500 Middle
HSC-745 U conne

Middle
U connection (slim)
Box:500



HSC-750

25x70 Glass profile corner connection Box:250



HSC-755

25x80 Glass profile Movable corner connection Box:250





















